

BRIDGEPOINT FAUCET CARE & MAINTENANCE

Professional Care Guidelines for Long-Term Performance

(Architectural / Technical Edition)

1. Daily Cleaning

- Clean using mild liquid soap and lukewarm water.
- Wipe with a soft microfiber cloth following the direction of the finish.
- Rinse thoroughly to remove residue.
- Dry immediately to prevent mineral spotting.

2. Approved Cleaning Methods

- Use non-abrasive, pH-neutral cleaners only.
- Apply cleaner to a cloth, not directly onto the faucet.
- Limit contact time to a few minutes.
- Rinse with clean water and dry with a soft cloth.

3. Prohibited Products & Practices

- Abrasive sponges, scouring pads, steel wool
- Acidic cleaners (including vinegar-based products)
- Chlorine bleach or ammonia
- Solvents, acetone, paint thinners
- Limescale removers containing formic, phosphoric, or hydrochloric acid
- High-pressure steam cleaners

BRIDGEPOINT

Faucet Care & Maintenance

- Direct spraying of chemicals onto the faucet

4. Limescale Prevention & Removal

- Wipe the faucet dry after use.
- For light deposits, use a mild, non-acidic cleaner.
- Avoid soaking components or leaving cleaners on the surface.
- Rinse thoroughly and dry immediately.

5. Aerator Maintenance

- Unscrew the aerator gently using fingers or a protective cloth.
- Rinse under running water to remove debris.
- Reinstall by hand-avoid tools that may scratch or overtighten.

6. Finish-Specific Notes

Chrome & Stainless Steel:

- Clean with mild soap and water only.
- Avoid polishing compounds unless approved.

Matte, Brushed, or PVD Finishes:

- Use a soft cloth only.
- Avoid waxes, polishes, or oil-based treatments.

7. Warranty Considerations

- Damage from abrasive or acidic cleaners is not covered.
- Mechanical damage from tools or sharp objects is not covered.

BRIDGEPOINT

Faucet Care & Maintenance

- Improper installation or maintenance voids warranty.
- Chemical exposure from household cleaners or descalers is not covered.

8. Professional Recommendation

- Weekly maintenance for commercial or high-use environments.
- Use only approved pH-neutral cleaners.
- Train cleaning staff on proper faucet care.